


## Colon & Rectal Surgery

Britton R. West, M.D. Glen D. Hooker, M.D. Eduardo D. Castillo, M.D. www.txcolonrectal.com 1420 Eighth Ave., Suite 103 Fort Worth, Texas 76104 Tel: (817) 924-9002

Fax: (817) 924-9960

# COLONOSCOPY



The entire colon and rectum is examined.

#### What is it?

• Colonoscopy is an examination of the lining of the colon and rectum; that is, the large intestine.

### Why is it done?

- Colorectal cancer is the second leading cause of cancer deaths in the U. S. (and the leading cause in non-smokers).
- Most colorectal cancers start as benign growths (polyps).
- Colonoscopy is the most accurate test for detecting polyps, and the best way to remove them.
- By removing colon and rectal polyps, almost all colorectal cancer can be prevented.

#### Who should have it done?

- All people, age 50 and older, male or female.
- The exam should be done at an even younger age if:
  - -There is bleeding or change in bowel habits;
  - -There is a family history of colorectal polyps or cancer;
  - -There is personal history of inflammatory bowel disease.

#### How is it Done?


- A laxative drink is taken the evening before the test to cleanse the colon for proper visualization during the procedure.
- On the day of the test, the patient is given sedation intravenously, to induce a "twilight sleep"; most patients do not feel any discomfort and once the test is completed, do not even realize that the test has been done.
- A thin, flexible, lubricated tube (the scope) is gently inserted into the rectum and advanced slowly inside the colon.
- If any polyps are seen, the majority can be removed during the examination (see the diagram to the right).

#### How long does it take?

- You are asked to report 1 hour before the procedure time.
- The procedure itself lasts 30 to 45 minutes.
- You will be monitored for about 30 minutes after the test.
- It is important to have a friend or a relative take you home.

#### Will insurance cover the cost?

- Medicare recipients are covered if they have not had a colonoscopy in the past 10 years or a sigmoidoscopy in the past 4 years.
- For other insurance carriers, contact your benefits representative to determine what is covered.



Polyp removed...Cancer prevented.

Artwork is reproduced, with permission, from the Johns Hopkins Gastroenterology and Hepatology Resource Center, www.hopkinsgi.org, copyright 2006, Johns Hopkins University, all rights reserved.